

Cobalt PS-7100 Revision Number 1 Revision Date: 15-Mar-2022 Supersedes Date: Not applicable

\_\_\_\_\_

# 1. Identification

### 1.1. Product Identifier

Product Name Cobalt PS-7100

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Adhesives.

Uses advised against No information available

### 1.3. Details of the supplier of the safety data sheet

# **Responsible Party**

Cobalt Surfaces 10 South Hays Street Bel Air, MD 21014 USA (844) 245-0686

### 1.4. Emergency telephone number

Emergency Telephone (800) 424-9300

# Section 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200

### 2.2. Label Elements

# **EMERGENCY OVERVIEW**

Not a dangerous substance or mixture according to OSHA 29 CFR 1910.1200.

Appearance Paste Physical State Liquid Odor Slight

**Precautionary Statements - Prevention** 

Not applicable

**Precautionary Statements - Response** 

Not applicable

**Precautionary Statements - Storage** 

Not applicable

**Precautionary Statements - Disposal** 

Cobalt PS-7100Revision Date: 15-Mar-2022Revision Number 1Supersedes Date: Not applicable

Not applicable

Hazards not otherwise classified (HNOC)

Not applicable

2.3. Other Information

No information available.

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 Substances

Mixture

#### 3.2 Mixtures

| Chemical name | CAS No.    | Weight-% |
|---------------|------------|----------|
| Feldspar      | 68476-25-5 | 1 - 5    |
| Quartz        | 14808-60-7 | 0.1 - 1  |

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# Section 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If

eye irritation persists: Get medical advice/attention.

**Skin contact** Wash off immediately with plenty of water for at least 15 minutes. In the case of skin

irritation or allergic reactions see a physician.

**Inhalation** IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing.

**Ingestion** Rinse mouth. Drink plenty of water. Never give anything by mouth to an unconscious

person. Do NOT induce vomiting. If swallowed, seek medical advice immediately and show

this container or label.

**Self-protection of the first aider**Use personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

4.3. Indication of any immediate medical attention and special treatment needed

4.4. Reference to Other Sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 11: TOXICOLOGY INFORMATION

# **Section 5: FIRE-FIGHTING MEASURES**

### 5.1. Extinguishing media

**Revision Number** 1 Supersedes Date: Not applicable

Revision Date: 15-Mar-2022

### Suitable extinguishing media

Water spray (fog). Carbon dioxide (CO2). Foam. Dry chemical. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Unsuitable extinguishing media

None known.

Cobalt PS-7100

### 5.2. Special hazards arising from the substance or mixture

#### Specific hazards arising from the chemical

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

**Explosion Data** 

Sensitivity to mechanical impact None. Sensitivity to static discharge None.

### 5.3. Advice for firefighters

### Special protective actions for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# Section 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Use personal protective equipment as required. Avoid contact with eyes and skin.

# 6.2. Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas. Do not flush into **Environmental precautions** 

surface water or sanitary sewer system. See Section 12 for additional Ecological

Information.

#### 6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth Methods for cleaning up

or other non-combustible absorbent material. Take up mechanically, placing in appropriate

containers for disposal. Clean contaminated surface thoroughly.

### 6.4. Reference to other sections

Section 7: HANDLING AND STORAGE Reference to other sections

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

# Section 7: HANDLING AND STORAGE

# 7.1. Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Handle in accordance with good industrial

> hygiene and safety practice. Do not eat, drink or smoke when using this product. Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes or clothing.

Wash hands thoroughly after handling. Do not reuse container.

Cobalt PS-7100 Revision Date: 15-Mar-2022 **Revision Number** 1 Supersedes Date: Not applicable

7.2. Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a cool, well-ventilated place. Keep from freezing.

No information available. Incompatible materials

7.3. Specific end use(s)

Specific Use(s) Adhesives.

Other information No information available.

7.4. References to Other Sections

Section 13: DISPOSAL CONSIDERATIONS Reference to other sections

Section 10: STABILITY AND REACTIVITY

### Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

**Exposure Guidelines** 

. This product contains substances which in their raw state are powder form, however in this product they are in a non-respirable form. Inhalation of powder/dust particles is unlikely to occur from exposure to this product.

| Chemical name | ACGIH TLV                     | NIOSH IDLH                            | OSHA PEL                             | Mexico                       |
|---------------|-------------------------------|---------------------------------------|--------------------------------------|------------------------------|
| Feldspar      | 2 mg/m³ (Respirable           | -                                     | -                                    | -                            |
| 68476-25-5    | fraction)                     |                                       |                                      |                              |
| Quartz        | TWA: 0.025 mg/m <sup>3</sup>  | IDLH: 50 mg/m <sup>3</sup> respirable | TWA: 50 µg/m³ TWA: 50                | TWA: 0.025 mg/m <sup>3</sup> |
| 14808-60-7    | respirable particulate matter | dust                                  | μg/m³ excludes                       |                              |
|               |                               | TWA: 0.05 mg/m <sup>3</sup>           | construction work,                   |                              |
|               |                               | respirable dust                       | agricultural operations, and         |                              |
|               |                               |                                       | exposures that result from           |                              |
|               |                               |                                       | the processing of sorptive           |                              |
|               |                               |                                       | clays                                |                              |
|               |                               |                                       | : (250)/(%SiO2 + 5) mppcf            |                              |
|               |                               |                                       | TWA respirable fraction              |                              |
|               |                               |                                       | : (10)/(%SiO2 + 2) mg/m <sup>3</sup> |                              |
|               |                               |                                       | TWA respirable fraction              |                              |

| Chemical name        | Argentina                   | Brazil | Chile                       | Venezuela                    |
|----------------------|-----------------------------|--------|-----------------------------|------------------------------|
| Quartz<br>14808-60-7 | TWA: 0.05 mg/m <sup>3</sup> | -      | TWA: 0.08 mg/m <sup>3</sup> | TWA: 0.025 mg/m <sup>3</sup> |

### 8.2. Exposure controls

Use with local exhaust ventilation. Ensure adequate ventilation, especially in confined **Engineering controls** 

areas. Use explosion-proof ventilating equipment.

Personal protective equipment [PPE]

Eye/face protection Skin and body protection

Respiratory protection

Tight sealing safety goggles.

Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers. If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

Cobalt PS-7100Revision Date: 15-Mar-2022Revision Number 1Supersedes Date: Not applicable

General hygiene considerations Use personal protective equipment as required. Handle in accordance with good industrial

hygiene and safety practice. Do not eat, drink or smoke when using this product. Avoid contact with eyes, skin and clothing. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Regular cleaning of equipment, work area and clothing

is recommended.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Liquid
Appearance Paste
Color White
Odor Slight

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 7.0 - 9.0

Melting point / freezing point

Boiling point / boiling range
Flash point

Evaporation rate
Flammability (solid, gas)

T.0 - 9.0

No data available

100 °C / 212 °F

No information available

Not applicable for liquids .

Flammability Limit in Air

Upper flammability or explosive No information available

limits

Lower flammability or explosive No information available

limits

Vapor pressureNo information availableVapor densityNo information availableRelative densityNo information availableWater solubilityNo information available

Solubility in Other Solvents

Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity

No information available
No information available
No information available
No information available

Dynamic viscosity No information available

**Explosive properties**No information available **Oxidizing properties**No information available

9.2. Other information

Softening Point
Molecular weight
Solvent content (%)
Solid content (%)
No information available
No information available
No information available
No information available

**Density** 0.983 g/cm<sup>3</sup>

VOC Content (%) 0 g/L / 0 %

# Section 10: STABILITY AND REACTIVITY

# 10.1. Reactivity

None under normal use conditions.

### 10.2. Chemical stability

Cobalt PS-7100Revision Date: 15-Mar-2022Revision Number 1Supersedes Date: Not applicable

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

None under normal processing.

#### 10.4. Conditions to avoid

Extremes of temperature and direct sunlight. Keep from freezing.

### 10.5. Incompatible materials

No information available.

# 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide (CO2). Hydrocarbons.

# Section 11: TOXICOLOGY INFORMATION

### 11.1. Information on toxicological effects

Product Information No data available

InhalationBased on available data, the classification criteria are not met.Eye contactBased on available data, the classification criteria are not met.Skin contactBased on available data, the classification criteria are not met.IngestionBased on available data, the classification criteria are not met.

### **Component Information**

**Symptoms** 

| Chemical name | Oral LD50            | Dermal LD50 | Inhalation LC50 |
|---------------|----------------------|-------------|-----------------|
| Quartz        | >2000 mg/kg (Rattus) | -           | -               |
| 14808-60-7    |                      |             |                 |

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available.

No information available. Skin corrosion/irritation No information available. Serious eye damage/eye irritation Irritation No information available. No information available. Corrosivity Sensitization No information available. No information available. Germ cell mutagenicity Reproductive toxicity No information available. **Developmental toxicity** No information available. **Teratogenicity** No information available. STOT - single exposure No information available. STOT - repeated exposure No information available. **Chronic Toxicity** No information available. Target organ effects No information available. No information available. **Aspiration hazard** 

**Carcinogenicity**The table below indicates whether each agency has listed any ingredient as a carcinogen.
As Quartz (14808-60-7) is inextricably bound in the polymer matrix, it is not expected to be

available as an airborne hazard (dust, mist, or spray) under normal condition of uses.

| Chemical name | ACGIH | IARC    | NTP   | OSHA |
|---------------|-------|---------|-------|------|
| Quartz        | A2    | Group 1 | Known | X    |
| 14808-60-7    |       | ,       |       |      |

Cobalt PS-7100Revision Date: 15-Mar-2022Revision Number 1Supersedes Date: Not applicable

\_\_\_\_\_

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

# Section 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

No information available

### 12.2. Persistence and degradability

No information available.

### 12.3. Bioaccumulative potential

No information available.

### 12.4. Mobility in soil

No information available.

# Other adverse effects

No information available

# Section 13: DISPOSAL CONSIDERATIONS

# 13.1. Waste treatment methods

**Disposal of Wastes**It is the responsibility of the waste generator to determine the toxicity and physical

properties of the material generated to determine the proper waste identification and

disposal methods in compliance with applicable regulations

Contaminated packaging Dispose of in accordance with federal, state and local regulations

# Section 14: TRANSPORT INFORMATION

Note: Keep from freezing

DOTNot regulatedIATANot regulated

IMDG Not regulated

# Section 15: REGULATORY INFORMATION

**Global Inventories** 

| <b>Lasa</b> |        |
|-------------|--------|
| TSCA        | Listed |
| II SCA      | LISIEU |

Cobalt PS-7100Revision Date: 15-Mar-2022Revision Number 1Supersedes Date: Not applicable

**DSL** Not Listed

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL** - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

#### **United States of America**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical name | CAS No.    |
|---------------|------------|
| Feldspar      | 68476-25-5 |

### **SARA 311/312 Hazard Categories**

Classification is shown in section 2 of this SDS

### Europe

#### Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation

# **SVHC: Substances of Very High Concern for Authorization:**

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# Section 16: OTHER INFORMATION

# Key or legend to abbreviations and acronyms used in the safety data sheet

No information available

### **Key Literature References and Sources for Data**

No information available

Revision date 15-Mar-2022

Revision note No information available

Training Advice No information available

Further information No information available

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**